Table II - Associations between interventions and outcomes according to effect and confidence level

Confidence level	Effect	Intervention category	Outcome category
		Stretching	Other (Restless legs syndrome)
		Physical and muscular fitness	Epidemiological outcomes (Prognosis)
		Exercise	Physical fitness and muscle
			Anthropometric and body composition outcomes
			(Body Mass Index)
			Clinical outcomes (cardiovascular, musculoskeleta
			and metabolites)
			Renal outcomes (Glomerular filtration)
			Fatigue
			Optimization of dialysis
			Others (Cramping, restless legs syndrome, sleep
			quality, inflammatory markers, maturation of
			arteriovenous fistulas and exercise duration time)
			Quality of life and well-being
			Mental health (Depression)
		Combined and/or	Physical and muscular fitness
		multimodal intervention	Anthropometric and body composition outcomes
			(Body fat)
			Clinical outcomes (cardiovascular and
			musculoskeletal)
			Optimization of dialysis
	Š		Quality of life and well-being
	Positive		Mental health (Depression)
	P	Others	Physical and muscular fitness
		Integrative and	Others (inflammatory markers)
		complementary practices	· ,
		Exercise	Physical and muscular fitness
			Anthropometric and body composition outcomes
			(Muscle mass)
			Clinical outcomes (cardiovascular and
			musculoskeletal)
			Renal outcomes (Multiple or nonspecific)
			Others (Inflammatory markers)
			Quality of life and well-being
			Mental health (anxiety, depression)
		Combined and/or	Physical and muscular fitness
		multimodal intervention	Anthropometric and body composition outcomes
			(Multiple or nonspecific)
	φ		Clinical (cardiovascular) outcomes
	siŧi		Fatigue
	ŏd		Level of physical activity
			Quality of life and well-being
_	nti <i>a</i>		Mental health (anxiety, depression)
High	Potentially positive	Integrative and	Clinical outcomes (musculoskeletal)

		Exercise	Physical and muscular fitness
Moderate			Anthropometric and body composition outcomes
			(Body Mass Index)
	<u>ĕ</u>		Quality of life and well-being
	Positive	Combined and/or	Physical fitness
	<u>A</u>	multimodal intervention	·
		Exercise	Muscular fitness
	é		Clinical outcomes (cardiovascular and
	siŧi		musculoskeletal)
	öd		Renal outcomes (glomerular filtration)
	Potentially positive		Optimization of dialysis
	ntië	Combined and/or	Physical aptitude
	ote	multimodal intervention	Renal outcomes (multiple or nonspecific)
	ď		Quality of life and well-being
Low		Exercise	Physical and muscular fitness
			Anthropometric and body composition outcomes
			(Body Mass Index)
			Clinical (cardiovascular) outcomes
	-		Other (restless legs syndrome)
	Positive	Combined and/or	Stretching
	OS.	multimodal intervention	Other interventions (neuromuscular electrical
	Δ		stimulation)
		Exercise	Renal outcomes (glomerular filtration)
	ě		Optimization of dialysis
	usi		
	ncl		
	Inconclusive		
		Stretching	Adverse effects
	+	Exercise	Other outcomes (sleep quality)
	ffec	Other interventions	Other outcomes (restless legs syndrome)
	No effect		
	Z		
		Exercise	Muscular fitness
>			Clinical (cardiovascular) outcomes
Critically low			
<u>Sal</u>	<u>×</u>		
Æ	Positive		
ပ	△		